

# NOTICE OF PRODUCT CERTIFICATION

**Company:** HMF Express  
 2501 Northchase Parkway, SE  
 Wilmington, NC 28405

**Certification No.:** NI006920  
**Certification Date:** 02/15/2007  
**Expiration Date:** 12/31/2008

**Product:** HMF Express' Commercial 16 & 18 Gauge Outswing Opaque Flush Steel Doors w/16 Gauge Hollow Metal Steel Frame

**Specifications Tested To: TAS 201/202/203-94**

The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at [www.Namicertification.com](http://www.Namicertification.com). NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Missile Impact Rated	Test Report Number & Comments
XX Double	O/S	Opaque	6'4" x 7'4"	+80/-80	Yes	CTLA-1089R 18ga Panel w/Vertical Rods Maximum Panel Size: 3'1 x 7'2"
XX Double	O/S	Opaque	6'4" x 7'4"	+80/-80	Yes	CTLA-1089R 18ga Panel w/Rim Device Maximum Panel Size: 3'1 x 7'2"
XX Double	O/S	Opaque	6'4" x 7'4"	+80/-80	Yes	CTLA-1089R 16ga Panel w/Vertical Rods Maximum Panel Size: 3'1 x 7'2"
XX Double	O/S	Opaque	6'4" x 7'4"	+80/-80	Yes	CTLA-1089R 16ga Panel w/Mortise Maximum Panel Size: 3'1 x 7'2"
XX Double	O/S	Opaque	6'4" x 7'4"	+80/-80	Yes	CTLA-1089R 16ga Panel w/161 Prep Maximum Panel Size: 3'1 x 7'2"

National Accreditation & Management Institute, Inc./11870 Merchants Walk Suite 202/Newport News, VA 23606

Tel-757.594.8658/Fax-757.594.8659

NAMI AUTHORIZED SIGNATURE: \_\_\_\_\_

